# SUNDARAM INDUSTRIES.

# **GHS Safety Data Sheet**

**ASPENOL-Conc** 

Issue date: 01/01/2023Page: 1/11

Version: 1.2

-----

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identification

**Product Name: ASPENOL- Conc** 

Recommended use of the chemical and restriction on use

Recommended use\* : As Sizing & Finishing agent Suitable for use in industrial sector : Textiles /Chemical Industry

The 'recommended use' identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the sellers sales agreement

Details of the supplier of the product/Manufacturer:

#### Company:

#### SUNDARAM INDUSTRIES.

907 SAKAR-5

B/H NATRA CINEMA, ASHRAM ROAD, AHMEDABAD-380009

Phone No: (+9179)26581484. Telefax: (+9179)26580914

■ Emergency Response Information: +919825006574

Other Means of Identification:

Synonyms: Blend of Starch & Polymers

#### **ASPENOL** -Conc

Issue date: 01/01/2023Page: 2/11

Version: 1.2

-----

### 2. HAZARD IDENTIFICATION

According to regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

### GHS Classification

• Physical Hazards:

Not classified

Health Hazards:

Causes serious eye irritation.

Causes skin irritation

Environmental Hazards:
 No environmental hazards according to OSHA/GHS Criteria.

# GHS label Elements, including precautionary statements

• Pictogram:



• Signal word: Warning

• Hazard Statements:

H315 : Causes skin irritation

H319 : Causes serious eye irritation

• Precautionary Statements (Prevention):

P280 : Wear protective gloves

P273 : Avoid release to the environment.

P264 : Wash with plenty of water and soap thoroughly

after handling.

#### **ASPENOL - Conc**

Issue date: 01/01/2023Page: 3/11

Version: 1.2

\_\_\_\_\_

• Precautionary Statement (Response):

P303 + P352 : If on skin (or hair): Wash with plenty of soap and

Water.

P332 + P313 : If skin irritation occurs: Get medical advice/

Attention.

P362 + P364 : Take off contaminated clothing and wash before

reuse.

• Precautionary Statements (Disposal):

P501 : Dispose of contents/ container to hazardous or

Special waste collection point.

Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of the component (s) with unknown hazards regarding the acute toxicity: 100% dermal.

The following percentage of the mixture consists of the component (s) with unknown hazards regarding the acute toxicity: 100% inhalation – vapour.

The following percentage of the mixture consists of the component (s) with unknown Hazards regarding the acute toxicity: 100% inhalation – mist.

# According to regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Emergency Overview

CAUTION:

May cause eye, skin and respiratory tract irritation.

Ingestion may cause Gastric disturbances.

Use with local exhaust ventilation.

Wear a NIOSH – certified (or equivalent) organic vapour/ particular respirator.

Wear NIOSH – certified chemical goggles.

Wear protective clothing.

Wear chemical resistant protective gloves.

Eye wash fountains and safety showers must be easily accessible.

NO PARTICULAR HAZARD KNOWN.

#### **ASPENOL** -Conc

Issue date: 01/01/2023Page: 4/11

Version: 1.2

\_\_\_\_\_\_

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

According to regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

According to regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Composition

Blend of Starch & Polymers

#### 4. FIRST - AID MEASURES

#### **Descriptive first aid measures:**

General advise:

Remove contaminated clothing.

#### Inhaled:

If difficulties occur after vapours/ aerosol has been inhaled, move to fresh air and seek medical attention.

#### Skin contact:

Wash affected areas thoroughly with soap and water. Remove contaminated clothing. If irritation develops, seek medical attention.

#### Eye contact:

Rinse eyes for at least 15 minutes under running water with eyelids wide open.

#### Ingestion:

Rinse mouth and then drink plenty of water.

### Most important symptoms and effects, both acute and delayed.

Symptoms: No significant symptoms are expected due to the non – classification of the Product.

# • Indication of any immediate medical attention and special treatment needed Note to Physician:

Treatment: Treat according to symptoms (decontamination, vital functions), no known Specific antidote.

#### **ASPENOL** -Conc

Issue date: 01/01/2023Page: 5/11

Version: 1.2

\_\_\_\_\_\_

#### 5. FIRE - FIGHTING MEASURES

#### Suitable Extinguishing Media:

Water spray, dry Powder or foam.

#### • Unsuitable Extinguishing Media:

Water jet

#### Protective Equipment for Fire - fighting:

Fire fighters should be equipped with self-contained breathing apparatus and turn out gear.

#### • Additional Information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions

Use personal protective equipment. Information regarding personal protective equipment see section 8.

#### Environmental Precautions

Do not discharge into drains/ surface water/ ground water.

#### Methods and material for containment and cleaning -up

Dispose of absorbed material in accordance with regulations.

### Small spill and leak:

Dilute with water and mob up or absorb with absorbent material (e.g. sand, silica gel acid binder, general purpose binder, sawdust). Finish cleaning by spreading water on contaminated surface.

<u>Large spill and leak</u>:Pick up with suitable adsorbent material or vacuum up spilled product. Place into suitable container for disposal. Finish cleaning by spreading water on contaminated surface.

#### **ASPENOL** -Conc

Issue date: 01/01/2023Page: 6/11

Version: 1.2

#### 7. HANDLING AND STORAGE

#### Precautions of safe handling

No special measures are necessary provided the product is handled in accordance with good industrial hygiene and safety practice.

Protection against fire an explosion: No special precautions are necessary.

### Conditions for safe storage, including any incompatibilities

Segregate from acids and bases. Segregate from oxidising agents.

Other Information on storage conditions: Keep container tightly closed and dry. Store in a cool and well-ventilated area.

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Advise on system design:

Provide local exhaust ventilation to control vapours/ mists.

## Personal Protective Equipment

#### **Respiratory Protection:**

Wear respiratory protection if ventilation is inadequate. Breathing protection if breathable aerosols/ dust are formed.

#### Hand protection:

Chemical resistance protective gloves.

#### **Eye protection:**

Tightly fitting safety goggles (chemical goggles) and face shield.

## General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Wear protective clothing as necessary to minimise contact.

#### **ASPENOL** -Conc

Issue date: 01/01/2023Page: 7/11

Version: 1.2

\_\_\_\_\_\_

#### 9. PHYSICAL AND CHEMICAL PROPERTIES:

■ Form : Powder

Odour : Characteristic

Odour threshold: N/D

Colour : White to Creamish

■ pH 10% : 6.00 – 7.30 ■ Boiling Point : > 100 deg.C

Vapour pressure : N/D
Auto ignition temperature : N/D
Vapour Density (Air = 1) : N/D
Freezing point : N/D
Decomposition Temperature : N/D

■ Flash Point : > 150 deg.C

■ Flammability : N/D

Solubility : Soluble in hot water above 80oC

#### 10. STABILITY AND REACTIVITY

#### Hazardous Reactions

No hazardous reactions when stored and handled according to the instructions. The product is chemically stable.

### Decomposition Products

Hazardous decomposition Products: No hazardous decomposition products if stored and handled as prescribed or indicated.

# Thermal Decomposition

No data available.

#### Corrosion of metals

No corrosion effect on metals.

**ASPENOL** -Conc

Issue date: 01/01/2023Page: 8/11

Version: 1.2

\_\_\_\_\_

#### 11. TOXICOLOGICAL INFORMATION

### **Primary routes exposure:**

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity

### Oral:

Test Type: LD50 Species: Rat

Value: > 2000 mg/kg

#### Irritation/ Corrosion

Assessment of irritating effects: Skin contact causes irritation.

#### Skin

Species: Rabbit

Result: Moderately Irritating

#### Eve

Species: rabbit Result: non - irritant

#### ■ Chronic Toxicity/ Effects:

Repeated dose toxicity

Assessment of repeated dose toxicity: no known chronic effects.

The product has not been tested. The statement has been derived from products of a similar structure or composition.

#### Symptoms of exposure :

The most important known symptoms and effects are described in the labelling (see section 2) and / or in section 11.

Medical conditions aggravated by overexposure. Data available do not indicate that there are medical conditions that are generally recognised as being aggravated by exposure to this substance/ product.

#### **ASPENOL** -Conc

Issue date: 01/01/2023Page: 9/11

Version: 1.2

\_\_\_\_\_

# 12. ECOLOGICAL INFORMATION

#### Toxicity

Species: Fish Test type: LC50

Results: 1 – 10mg/l (96 h) **Aquatic invertebrates** Species: Daphnia magna

Test type: EC50

Results: 1 - 10 mg/l (48 h)

#### Microorganism/ effect on activated sludge

Toxicity to microorganisms

Test type: DEV-L2 Results: > 1000 mg/l

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

#### Persistence and degradability

Elimination information

More than 60% CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C). Readily degradable.

#### Additional Information

Other Ecotoxicological advice:

Do not release untreated waste into natural waters. The product has been tested. The statement has been derived from substance/ products of a similar structure or composition.

#### 13. DISPOSAL CONSIDERATIONS

#### Waste Disposal of Substance

Dispose of in accordance with national, state and local regulations. It is the waste generators responsibility to determine if a particular waste is hazardous under RCRA.

## Container Disposal

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorised use of used containers.

**ASPENOL** -Conc

Issue date: 01/01/2023Page: 10/11

Version: 1.2

\_\_\_\_\_\_

#### 14. TRANSPORT INFORMATION

#### Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations.

# Sea Transport

**IMDG** 

Not classified as a dangerous good under transport regulations.

### Air Transport

IATA/ I CAD

Not classified as a dangerous good under transport regulations.

## 15. REGULATORY INFORMATION

#### Federal Regulations Registration Status

TSCA, US : released/ listed Chemical DSL, CA : released/ listed

OSHA Hazard Category : Skin and/ or eye irritant

SARA Hazard Categories (EPCRA 311/312) : Acute

#### State regulation

CA Prop. 65

THIS PRODUCT MAY CONTAIN TRACES OF A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR OTHER REPRODUCTIVE HARM

Such chemical: NONE

**ASPENOL** -Conc

Issue date: 01/01/2023Page: 11/11

Version: 1.2

\_\_\_\_\_

#### 16. OTHER INFORMATION

NFP Hazard Codes

Health: 1 Fire: 1 Reactivity: 0 Special: None

HMIS III Rating

Health: 1 Flammability: 1 Physical Hazard: 0

NFPA and HMIS use a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possesses essentially no hazard; a rating system is intended for different purposes, and use different criteria. The NFPA system was developed to provide an on the spot alert to the hazards of a material, and their severity, to emergency responders. The HMIS system was designed to communicate workplace hazard information to employees who handle hazardous chemicals.

This information is based on our knowledge. However, this shall not constitute guarantee for any specific product features and shall not establish legally valid contractual relationship.